



BLOOM PERIOD - 12 HOURS OF LIGHT								
1	2	3	4	5	6	7	8	FLUSH
1 ml.		1 ml.		1 ml.		1 ml.		
1 ml.	1 ml.							
A & B (each) Min. 2.5 ml. Max. 3.5 ml. EC 1.8 - 2.4	A & B (each) Min. 2.5 ml. Max. 3.5 ml. EC 1.8 - 2.4	A & B (each) Min. 2.5 ml. Max. 3.5 ml. EC 1.8 - 2.4	A & B (each) Min. 2.5 ml. Max. 3.5 ml. EC 1.8 - 2.4	A & B (each) Min. 2.5 ml. Max. 3.5 ml. EC 1.8 - 2.4	A & B (each) Min. 2.5 ml. Max. 3.5 ml. EC 1.8 - 2.4	A & B (each) Min. 2.5 ml. Max. 3.5 ml. EC 1.8 - 2.4	A & B (each) Min. 2.5 ml. Max. 3.5 ml. EC 1.8 - 2.4	
		0.5 ml.	0.5 ml.	1 ml.	1 ml.	1.5 ml.	1.5 ml.	

	1x week	1x week
	0.1 ml.	0.1 ml.
	PH=5.8 - 6.2	PH=5.8 - 6.2
	0.4 ml.	0.4 ml.
	0.1 - 1 ml.	0.1 - 1 ml.

[illegible]