

Per 1 L of water

VEG PERIOD
Seeding & Cuttings
18 HOURS OF LIGHT

Week:

1

2

Watering
2 ml.

1 ml.

1 ml.

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.5 - 2.0

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.5 - 2.0



Feed Chart Soil - Without Extra CO2

Important: This Feed Chart is just a guide.

It is possible to deviate.

First add A to the water then B. Continue until EC is reached.

Use equal quantities from A and B !



www.dutchpro.com

BLOOM PERIOD - 12 HOURS OF LIGHT



1

2

3

4

5

6

7

8

FLUSH

1 ml.

1 ml.

1 ml.

1 ml.

1 ml.

1 ml.

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.8 - 2.3

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.8 - 2.3

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.8 - 2.3

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.8 - 2.3

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.8 - 2.30

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.8 - 2.30

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.8 - 2.3

A & B (each)
Min. 2 ml.
Max. 3 ml.
EC 1.8 - 2.3

0.5 ml.

0.5 ml.

1 ml.

1 ml.

1.5 ml.

1.5 ml.

OPTIONAL ENVIRONMENTAL SUPPLEMENTS

OPTIONAL ENVIRONMENTAL SUPPLEMENTS



1x week

1x week



0.1 ml.

0.1 ml.



PH=5.8 - 6.2

PH=5.8 - 6.2



0.4 ml.

0.4 ml.



0.1 - 1 ml.

0.1 - 1 ml.

1x week

1x week

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

PH=5.8 - 6.2

PH=5.8 - 6.2

PH=5.8 - 6.2

PH=5.8 - 6.2

PH=5.8 - 6.2

PH=5.8 - 6.2

PH=5.8 - 6.2

PH=5.8 - 6.2

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.